

Resolved that the Town Board of the Town of Sandy Creek agrees to settle the Burrows assessment case for \$270,000 total assessed value.

NEW BUSINESS

RESOLUTION 46-16

On motion by Ruth E. Scheppard, seconded by Dave Warner, the following resolution was

ADOPTED - 5 Ayes Ridgeway, Scheppard, Wood, Gove, Warner
0 No

Resolved that the Town Board of the Town of Sandy Creek authorizes Town Supervisor Nancy Ridgeway to hire All Pest Inc. to spray the Town Hall twice this season for spiders in May and July for a total cost of \$277.99.

Jill Mattison will explain the town’s Annual Financial Report Update Document for 2015 at the May meeting. To be proactive towards farming, it was suggested at the Local Government Conference held at JCC on March 31st that a town proposes a local law requiring farmers to file all DEC permits along with approved or stamped engineered drawings on all manure pits and lagoons. Councilman Wood is doing some research on this idea. Attorney Nelson will look into drafting a local law. No one on the Town Board was opposed to replacing the stove in the apartment. The roads agreement will need to be signed next month. NYS has proposed an intermunicipal agreement for the Groman Shores boat launch road. Superintendent Kastler recommends that if the town maintains the road, it should be adopted as a town road and be placed on the town’s inventory.

PAY BILLS

RESOLUTION 47-16

On motion by Ruth E. Scheppard, seconded by John W. Wood, Jr., the following resolution was

ADOPTED - 5 Ayes Ridgeway, Scheppard, Gove, Wood, Warner
0 No

Resolved that the bills be paid on Abstract #6 in the following amounts:

General Fund	\$	272.01
Trust & Agency	\$	18,343.16

And on Abstract #7 in the following amounts:

General Fund	\$	24,582.90
Trust & Agency	\$	9,587.24
Highway Fund	\$	20,515.06
Water District #1-H	\$	4,896.18
Water District#1-SW	\$	2,705.30
Water District #2-H	\$	2,255.68
Water District#2-SW	\$	814.39

RESOLUTION 48-16

On motion made by Ruth E. Scheppard, seconded by John W. Wood, Jr., the following resolution was

